

## Meeting Request Form for Administrator Scott Pruitt

Today's Date: April 4, 2017

Requesting Office: OCIR

Title of the Meeting: Meeting with Mayor John Antaramian (Kenosha, WI)

Purpose: To update the Administrator on the City of Kenosha's brownfield success stories.

Role of the Administrator: Receive update; Congratulate Mayor Antaramian on his leadership.

Background: Mayor Antaramian continues to be a passionate advocate for the Brownfields Program, and is an active member of the US Conference of Mayors. The mayor will be in Washington to attend the American Council of Engineering Companies' (ACEC) Engineering Excellence Award ceremonies. According to the University of Wisconsin's Fiscal and Economic Research Center, the state's Brownfield Projects have helped leverage 29,833 direct new/retained permanent jobs. One job is created for every \$3,000 in state brownfield funding. The mayor last met with EPA in August 2016 to discuss concerns with protecting the lake surrounding the Kennedy Park Landfill from contamination, as well as, with lead pipe issues in older, poorer areas of his city

Last possible date for the meeting: 4/26/17

Is the meeting urgent and if so why? No

Requested Time Length: 15-20 Minutes

EPA Staff (Required): Layne Bangerter, DAA for Intergovernmental Relations (OCIR)

EPA Staff (Optional): M. Arnita Hannon Christmon (OCIR)

External Participant: Mayor John Antaramian

Teleconference Required? No

Video Conference Required? No

Point of Contact for the Meeting: M. Arnita Hannon Christmon (202.564.3704)

NOTE: Meeting request forms should be submitted to <a href="mailto:scheduling@epa.gov">scheduling@epa.gov</a>, with a copy to Sydney Hupp <a href="mailto:hupp.sydney@epa.gov">hupp.sydney@epa.gov</a>) and the AO Special Assistant who covers your office. All briefing material must be sent to your AO Special Assistant by 3:00 pm two days before your meeting, or to OCIR 48 hours in advance. If briefing materials are not submitted on time, we may need to reschedule your briefing.

EDF v. EPA (17-cv-2220)